



Welcome to Burlington County Foot and Ankle Associates, Inc.! The mission of our practice is to provide that hometown-country doc customer service in a modern, high tech medical world. Join us so we can keep you walking.



Dr. John DePalma, D.P.M.

Dr. DePalma has been part of Burlington County Foot and Ankle Associates, Inc. for more than 20 years. He is committed to providing top-notch care to his patients and makes house calls on Fridays for his patients who are homebound.

Dr. DePalma's desire to become a doctor began in the 7th grade when he read a book about yellow fever and the Panama Canal that sparked his interest in medicine. He was first introduced to podiatry in high school while running cross country track. Some of his teammates had shin splints and heel pain from running and had seen a podiatrist who had instructed them to have a teammate learn a taping technique and apply it before every practice. Dr. DePalma excelled at taping and this ignited his passion to study sports medicine and podiatry.

Get to Know Dr. DePalma

Favorite Book: The Slight Edge by Jeff Olson (non-fiction). For fiction, I will read anything by Greg Iles.

Favorite Sport to watch: Football

Favorite Sport to Play: Soccer

Favorite Sport I Miss: Running

Favorite Restaurant: Any of the local greats like Rustic Grille, Rivera Pizza, Shamong Diner, Femmina, Tarantella's. My all-time favorite for both my wife and I is Graziano's Restaurant in Chesilhurst, NJ.

What is the most enjoyable part of your job? Being able to help someone walk out of the office with no pain.

What are some small things that make your day better? Great conversations about all types of topics.

How do you relax after a long day at work? I watch a movie – usually one I've seen a hundred times. This way, if I fall asleep, I won't be missing anything.



How to Build Balance and Keep Ankles Steady

Our ankles play vital roles in keeping us upright and in balance. However, injuries and general wear and tear over time can lead to weakness and instability in the ankles, increasing the risk of falls and further injuries.

Building your ankle strength is a good investment in a steadier future. The following exercises are tailored toward doing just that, as well as honing your sense of body placement. We must stress that you speak with us or another professional before starting a steady program, however—especially if you already have weak ankles or are recovering from a sprain or other ankle injury.

- **Alternating Toe-Heel** – Sit in a chair that lets your foot hang comfortably about 2 inches off the ground (books or pillows can help add some extra height). Tap your heel and then your toe against the ground, starting at a slow pace and building up to a fast but controlled rhythm. Three sets of 50 reps each is often recommended.
- **Side-to-side** – Sitting in the same position as the above exercise, now move side to side. Touch the outside edge of your foot on the ground and then your foot's inside edge. Both touches equals one rep. Start slow and build again for three sets of 50 reps.
- **Single Leg Balance** – This one's easy, at least in concept: stand on one leg for 30 seconds, without support unless you absolutely need it. Repeat six times with each leg, starting with eyes open, then moving to eyes closed once confident.



Does My Hammertoe Need Treatment?

A hammertoe, unfortunately, is not something that will go away on its own. This toe deformity often arises due to an imbalance of muscles and ligaments around the toe joints, leading to the toes resting in their bent positions.

But does having a hammertoe necessarily mean something must be done about it? Well, in most cases, the answer is yes; it's the range of what needs to be done that can vary.

Treatment for hammertoes falls into two general categories: management and correction. If a hammertoe is in an early stage and causing only mild-to-moderate discomfort, the goals may likely lean more toward managing the condition. Treatments may include a change in shoes, the use of custom-orthotics, and/or exercises and medication to reduce pain and swelling. This can increase comfort while helping the hammertoe from worsening.

Sometimes, however, conservative treatments don't work. In these cases, and in cases where the deformity is severe, pain is intense, or there are risks for wounds and infection, surgery is more likely to be considered as an option.

Even if your hammertoe is not causing you any detectable problems at the moment, it is always best to talk to your podiatrist about it. Managing the condition early on is much easier than waiting until more advanced measures are needed.

A Few Simple Steps To Better Health



More than 7 billion people can't be wrong – walking is an aerobic activity that almost anyone can do and is very simple to incorporate into your daily routine. Walking can improve chronic conditions such as high blood pressure, diabetes and arthritis, but the benefits aren't purely physical. Walking can also help improve mood and has been known to lift mental attitude as well. It has even been linked to strengthening the immune system.

If you need help getting started, join us every Friday beginning Friday, May 4 at 9:00 a.m. for our Keep U Walking Club. We will start out slow with a 1.5-mile walk around Medford and work together toward increasing our pace and distance. This is great for beginners and anyone who would like a regular walking group to help you stay on track.

What Happens to Your Body When You Become Inactive?

Exercise is an important part of staying healthy, especially when it comes to consistency. Even the effects of the most intense workout programs (which you should NOT try without proper conditioning, by the way) will start to fade if choice or circumstances render you inactive.

The benefits of exercise are not permanent. Here's what can happen:

- **Endurance Falls** – Exercise builds up the amount of oxygen your body can use, and its efficiency in using it. Within 2 weeks of inactivity, this ability can decrease by about 10%, and continue to fall over time. You'll feel this in the way you get more winded after bouts of motion.
- **Blood Glucose Rises** – Two weeks can also be enough to raise your blood glucose levels by half the amount they had lowered to through exercise; a concern for anyone who is at risk for diabetes.
- **Gaining Fat** – Of course, you might have expected this one. A noticeable physical change may be evident in body shape after about 6 weeks for some people. It doesn't matter if you're elite, either!

Of course, sometimes life doesn't allow you to stick to the routines you love. If an injury has sidelined you, consult with us for help determining a roster of ways to stay active without hindering your recovery. You might be surprised how effective some cross-training or more low-impact activities can be!



RECIPE: Meatless “Chicken Salad” Lettuce Wraps

Looking for a new recipe for Meatless Monday (or any day you choose)? Try this recipe for vegetarian “chicken” salad lettuce wraps that substitutes garbanzo beans for poultry.

Servings: 1

Ingredients

- ½ cup garbanzo beans, drained and rinsed
- ¼ cup walnuts
- 1 diced rib of celery
- 2 tbsp. raisins, dried cranberries, or dried cherries
- ¼ cup Greek yogurt, plain
- 4 romaine lettuce leaves
- Low sodium seasoned salt

Preparation

- Chop the garbanzo beans and walnuts coarsely into a mixture
- Add the celery, dried fruit, yogurt, and a dash of seasoned salt
- Serve in the romaine lettuce leaves





520 Stokes Road Suite C-5
Medford, NJ, 08055
609-714-0052
www.KeepUWalking.com



How is your foundation?

Ask about custom Orthotics...

No part of this newsletter may be used or reproduced in any manner whatsoever without written permission of the author. No expressed or implied guarantees have been made or are made by the author or publisher. Individual results may vary. Neither author nor publisher accepts any liability or responsibility to any person with respect to any loss or damage alleged to have been caused by the information in this newsletter. Always seek professional medical advice.

Why Take Care of Fungal Nails Now?

We know it's easy to put off thinking about a fungal nail infection. It's even easier if you've kept your feet in shoes or boots the past several months and adopted an "out of sight, out of mind" mentality. The truth, however, is that those unsightly nails are still there, and will remain there until something is done about them.

If you're thinking about treatment for your fungal toenails, then NOW is a perfect time to seek out advice!

There is the general principal that the sooner treatment begins on fungal toenails, the more likely and quickly one may see success. But even if you've had fungal nails for years, beginning treatment in the spring can help ensure clearer nails once summer rolls around and sandals become more the norm.

Even when a fungal toenail treatment successfully eradicates all the nasty fungus causing the problem, it still takes several month for the damaged nail to grow out and clean, healthy nail tissue to grow in. Keep that in mind if you have any events coming up where you might want to show off your toes. Sooner is better!

If you are considering fungal nail treatment, please let us know. We can discuss your best options for fighting that fungus!